

— THE TOUGHEST —
PERFORMER
— FOR YOUR FIELD —

Solis
H26

YEAR-ROUND PRODUCTIVITY ALL-WEATHER TRACTOR



BEST IN INDUSTRY
5
YEARS
WARRANTY

CELEBRATING
1,400,000
TRACTORS
GLOBALLY

— MADE OF —
COST
EFFICIENT
MECHANICAL TRACTORS

— MADE OF —
REAL
STEEL

STRATEGIC
COLLABORATION
WITH
YANMAR

HVAC CABIN



ULTIMATE CABIN FOR ALL WEATHER

Enhance your productivity and well-being with Solis HST 26 HVAC! Its cutting-edge HVAC Cabin offers a climate-controlled environment, allowing you to work in optimal comfort throughout the year. Stay focused and protected from extreme temperatures as you operate this high-performance agricultural machine.


HIGH PERFORMANCE WITH S-TECH ENGINE

Unleash the Potential of SOLIS HST 26 HVAC comes pre-equipped with a 3-cylinder natural aspirated Mitsubishi Engine that delivers an astounding torque of 76.3 Nm. Boost your maneuver with its mid-PTO and witness remarkable results like never before.



INNOVATIVE ADVANCED PROVEN TRANSMISSION

Featuring hydrostatic transmission and mechanical differential locks, the SOLIS HST 26 HVAC is designed to handle demanding agricultural and industrial tasks. The hydrostatic transmission provides seamless speed control, allowing precise movements and effortless operation.



S-BOOST HYDRAULICS

Discover the SOLIS HST 26 HVAC, a powerful and versatile workhorse for your agricultural needs. Its CAT 1-N type 3-point linkage guarantees a secure and stable connection to your implements. Additionally, with its 750 Kg lifting capacity you can elevate your productivity. The hydraulic pump operates at an impressive 90% efficiency, delivering exceptional performance while minimizing energy consumption.



CUTTING-EDGE S-COMMAND CENTRE

Upgrade your tractor experience with the SOLIS HST 26 HVAC model. It is designed for comfort and efficiency and boasts a deluxe high-back adjustable seat that ensures optimal support during long work sessions. The fully equipped dashboard & ergonomical design keeps everything you need within reach, while the comprehensive and open platform offers ample space for movement.



TIMELESS DESIGN

SOLIS HST 26 HVAC is a remarkable tractor designed for optimal performance. Equipped with twin projector head lamps, its aerodynamic body ensures a smooth and efficient operation. Its sturdy front metal hood, crafted from real steel offers durability and protection.

RELIABLE CRUISE CONTROLS

SOLIS HST 26 HVAC is certified for excellence and sets the bar high with its switch-operated cruise control and *WVTA approval. This versatile tractor offers a comfortable farming experience and meets all necessary regulations, giving you peace of mind and cutting-edge safety on your farm.

**Whole vehicle type approval*





H26

FEATURES	H26
ENGINE	
Engine Type	Mitsubishi 3 Cylinder
HP Category	26
No. of Cylinders	3
Aspiration	Naturally
Cubic Capacity (cc)	1319
Rated RPM (+/-25mm)	2500
Air Cleaner	Dry Type
Cold Start	Yes
Max Torque (Nm)	76.3
Exhaust	Under Hood, Downdraft
TRANSMISSION	
Drive	4WD
Gearbox	HST
Front Axle	4WD HD
SPEED (FORWARD)	
Maximum Speed (Km/Hr)	18.22 @ 2500 ERPM
Minimum Speed (Km/Hr)	8.11 @ 2500 ERPM
BRAKES	
Brakes	Oil Immersed Brakes
Type of Actuation	Mechanical
Parking Brake	Independent Type
DIFFERENTIAL LOCK	
Differential Lock	Foot Operated
PTO	
PTO (RPM)	Read – 540, Mid – 2100
PTO (Actuation)	Electro Hydraulic
STEERING	
Steering	Power Steering
ELECTRICAL	
Battery	12V, 65 Ah
Alternator	12V, 42 A
HYDRAULICS	
3 Point Linkage	Cat 1-N
Stay Bars	Anchor Chain
Auxiliary Hydraulic Circuit	1 DA 1DA+2DA (ROPS)
Lift Rods	Yes
Hydraulic Lifting Capacity (Kg)	750

FEATURES	H26		
CAPACITY (LTRS)(+/-6%)			
Fuel Tank (Ltr.)	26		
TYRE			
Front	6x12		
Rear	8.30x20		
Overall Dimensions & Weight			
Weight (Kg)	1440-1525		
Wheel Base (mm)	1570		
Total Length (mm)	2895		
Total Width (mm)	1245		
Height (mm) up to ROPS	2364		
Ground Clearance	215-280		
Front Track (mm)	880 - 990		
Rear Track (mm)	920 - 1000		
OPTIONAL FEATURES			
Trailer Hitch - Option 1	E-Marked Swinging bar		
- Option 2	Clevis Hitch		
Front Tow Hook	Yes, Available		
TYRES			
Radial Agri: Front Rear 6.5/80-12 280/70 R18	Turf: Front Rear 25x8,50-14 13.60-16	Ind: Front Rear 23x8,50-12 33x15,50-16,5	Galaxy Pro F - 220/55R12 R - 280/70R16

*Data and specifications are subject to change without any advance notice due to continuous product improvement and development. All Dimensions are with standard tyres.

DEALER STAMP

